UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/032,394	12/19/2001	Adityo Prakash	10006.000610	5415
	7590 09/17/200 BENEDICTO, LLP	EXAMINER		
P.O. BOX 641330			ROSARIO, DENNIS	
SAN JOSE, CA 95164			ART UNIT	PAPER NUMBER
			2624	
			MAIL DATE	DELIVERY MODE
			09/17/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)					
Office Action Occurrence	10/032,394	PRAKASH ET AL.					
Office Action Summary	Examiner	Art Unit					
	Dennis Rosario	2624					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.  - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status							
1) Responsive to communication(s) filed on 23 Ju	dv 2008.						
	action is non-final.						
<i>i</i> —	, <del></del>						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>2-4,6-10,15-20 and 23-42</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>2-4,6-10,15-20 and 23-42</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or							
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10)⊠ The drawing(s) filed on <u>19 December 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ☐ All b) ☐ Some * c) ☐ None of:							
1. Certified copies of the priority documents	1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents	s have been received in Application	on No					
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
Attachment(s)							
1) Notice of References Cited (PTO-892)  4) Interview Summary (PTO-413)							
2) DNotice of Draftsperson's Patent Drawing Review (PTO-948)	ate						
3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date  5) Notice of Informal Patent Application  Other:							

Application/Control Number: 10/032,394 Page 2

Art Unit: 2624

## **DETAILED ACTION**

### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 7/23/08 has been entered. Claims 2-4,6-10,15-20 and 23-42 are pending.

## Response to Arguments

2. Applicant's arguments, see remarks pages 7,8, filed 7/23/08, with respect to the rejection(s) of claim(s) 2-4 under 102 have been fully considered and are persuasive. Therefore, the rejection has been withdrawn. However, upon further consideration, a new ground(s) of rejection is made in view of Lee et al. (US Patent 5,877,813) or Lee 2.

# Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 2-4,6-9,15-17,25-31,33,34 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US Patent 6,539,060 B1) or Lee 1 in view of Lee et al. (US Patent 5,877,813) or Lee 2.

Application/Control Number: 10/032,394

Art Unit: 2624

Regarding claim 2, Lee 1 teaches a method of processing all or a portion of a multi-dimensional signal with a domain composed of a collection of arbitrarily shaped domains via a multi-scale transform comprising the steps of:

a. Obtaining a multi-dimensional digital image frame (as shown in fig. 5);

Page 3

- b. Breaking the image frame into constituent arbitrary shaped domains (one of which is shown in fig. 6A that represents an edge portion of an arbitrarily shaped object), or given such a set, that cover all or a portion of the original multidimensional signal domain (since fig. 5 serves as the foundation for all the shapes of fig. 6A); and
- c. Performing a combined domain and pattern adaptive transform (fig. 1:IDCT is used in a transform domain in combination with adaptive characteristics of fig. 1, num. 10 that uses patterns which is the same as edges from edge detection) on one or more of the collection (fig. 2: 8 X 8 DCT COEFFICIENTS) of arbitrary shaped domains (since said coefficients have the "same value[s]" in col. 8, lines 3-18 as the pixels of fig. 5), wherein a filter (fig. 1, num. 110 following the transform) comprising a convolution operator (since 110 is a filter that has convolution operator) is applied (the results of which is shown in fig. 6C) to process pixels near a boundary (fig. 6C: BLOCK BOUNDARY) of the domain (fig. 5), and wherein filter coefficients (corresponding to "weighting factors" in col. 11, lines 55-58 shown in TABLE 1 in columns 11,12 and more specifically in row 1 of TABLE 1 shows a weighting factor of "4" from "4A") for an interpolation filter (or "low-pass filtering" in col. 11, lines 50-52 that smooth the same as interpolation) are scaled (via a denominator of "8" in said row) by an inverse (given that "8" is an inverse of said "4A" that is a numerator) of a gradient value.

Lee 1 does not clearly teach an inverse of a gradient value since the origin or description of said denominator is not clear other than being suggestive as a sum of the number of pixels for averaging and "are defined in consideration of computation complexity" in col. 11, lines 55-58 where the pixels were determined to be an edge or non-edge via "gradient operators" in col. 10, lines 65-67.

Lee 2 teaches determining edge pixels with a gradient as shown in fig. 2:20-40 and with the claimed inverse of a gradient value "g(i,j)" in equations (2)-(4) since the gradient does appear in the denominator in equation (2) represented as m<sub>n</sub> that is considered an inverse relative to the numerator of equation (2).

It would have been obvious at the time the invention was made to one of ordinary skill in the art to modify Lee 1's teaching of using a gradient to determine an edge for the low-pass filter with Lee 2's teaching of using the inverse gradient, g(i,j), to determine an edge, because Lee 2's gradient protects detailed information and prevents detecting false edges as discussed in col. 4, lines 29-32.

Claim 3 is rejected the same as claim 2. Thus, argument similar to that presented above for claim 2 is equally applicable to claim 3 except for the additional limitations of:

- c. Quantizing resultant decomposition coefficients; and
- d. Encoding and transmitting quantized values over an information channel to a decoder for reconstruction of an approximated signal (via MPEG a part of which is shown in fig. 1 that is known to include limitations c. and d.).

Claim 4 is rejected the same as claim 3. Thus, argument similar to that presented above for claim 3 is equally applicable to claim 4.

common coefficient of "1/8" as known to one of ordinary skill in mathematics.

Regarding claim 6, Lee 1 teaches the method of claim 2, wherein the interpolation filter comprises a set of the filter coefficients (as shown in Table 1, row 1 wherein "4A" has a coefficient of "4" and "B" has a coefficient of "1" and both share a

Page 5

Regarding claim 7, Lee 2 teaches the method of claim 6, wherein the gradient value (or edge pixel or non-edge pixels as shown as shaded squares for edges and white squares for non-edges in fig. 3 that was determined from a gradient; thus, edge pixels and non-edge pixels are gradient values) is computed for each filter coefficient (corresponding to fig. 3: WEIGHT FILTERING and AVERAGE FILTERING) from a center (given that fig. 3 shows a center gradient value in a 3X 3 array) of the set of filter coefficients (given that the 3X3 array of gradient values serves as a foot print for the filters, the 3X3 array of gradient values is broadly of the set of filter coefficients).

Regarding claim 8, Lee 1 broadly teaches a 4X4 set of filter coefficients as shown in fig. 8B. Since 8B shows the processing area that is a 4X4 set of pixels with a corresponding set of coefficients that are applied to the 4X4 set of pixels.

Claim 9 is rejected the same as claim 3, limitations c. and d.. Thus, argument similar to that presented above for claim 3c. and 3d. is equally applicable to claim 9.

Regarding claim 15, Lee discloses the method as in any one of claims 2 or 6 where the multi-dimensional image frame (fig. 5) is a still image frame (since fig. 5 represents a frame that has no remaining motion processing).

Claim 16 is rejected the same as claim 15. Thus, argument similar to that presented above for claim 15 is equally applicable to claim 16.

Regarding claim 17, Lee discloses the method as in any one of claims 2 or 6 where the multi-dimensional image frame is a residue frame ("residual signal" in col. 3, line 39) for a sequence of video images.

Regarding claim 25, Lee discloses the method as in claim 6 where the domain adaptive transform (said IDCT) is applied such that (after said IDCT) the points external to the arbitrary domain (said pixels A and F) but within support of a filter (or filters) are excluded (as shown in fig. 6A relative to fig. 6C) from a mathematical result (as shown in fig. 6C) of a convolution(via the application of the filter to pixels) or weighted average / difference.

Regarding claim 26, Lee discloses the method as in any one of claims 1 or 6 where the domain adaptive transform is applied such that points external (fig. 8B: "Nonedge pixel") to the arbitrarily shaped domain (fig. 8B: "Edge pixel") but within support of the filter (fig. 8A) are included in a mathematical result of a convolution or weighted average / difference but are further multiplied (or re-weighted) by another set of weighting factors (as indicated in TABLE 1 in col. 11 to col. 12 that describes various weight combinations in the context of edges and the kernel).

Regarding claim 27, Lee discloses the method of claim 26 where the set of additional multiplicative factors (said TABLE 1) is determined as a result of calculation of a local measure (via said edge detection) characterizing a transition (as shown in fig. 8B, top most left Edge pixel and adjacent left Non-edge pixel) at a boundary of the arbitrary domain (Edge pixel).

Regarding claim 28, Lee discloses the method of claim 27 where the measure (said edge detection) is based on a statistical function ("Average" in col. 10, line 35) of a plurality of pixel value differences ("value[m]-Average" in col. 10, line 35) across the boundary transition (where said "value[m]-Average" corresponds to corners as shown in fig. 7C of an 8x8 block as shown in fig. 7B and shown again, unlabeled in fig, 8B where said top left most Non-edge pixel is part of said transition).

Claims 29 and 30 are rejected the same as claim 28. Thus, argument similar to that presented above for claim 28 is equally applicable to claims 29 and 30.

Regarding claim 31, Lee discloses the method of claim 28 where the statistical function is based on a weighted average (represented by the SAF column in TABLE 1 of columns 11 and 12).

Regarding claim 33, Lee discloses the method of claim 28 where the statistical function is a pre-determined constant (since the Average is divided by a constant as shown in col. 10, line 31).

Claim 34 is rejected the same as claim 27. Thus, argument similar to that presented above for claim 27 is equally applicable to claim 34.

Regarding claim 36, Lee discloses the method of claim 34 where the calculation of the local measure is based on a motion compensated model frame (fig. 1: MOTION COMPENSATOR) (or equivalent) that has already been decoded and thus made known to the decoder by the time of the inverse transform step in the context of a encoder-decoder system related to the efficient transmission or storage of a sequence of video

data (the unaddressed limitations above are well known to one of ordinary skill in the art of encoding/decoding frames).

5. Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US Patent 6,539,060 B1) in view of Lee 2 as applied to claim 2, above and further in view of Lei et al. (US Patent 6,356,665 B1).

Regarding claim 10, Lee does not disclose claim 10 and instead uses quantization with encoding.

Lei teaches quantization with encoding that is traditional in col. 3 lines 65,66 and offers an alternative called "Bit-Plane Approach" as discussed in col. 3, line 65 to col. 4, line 22.

It would have been obvious at the time the invention was made to one of ordinary skill in the art to modify Lee's quantization with encoding that has been identified by Lei as traditional with Lei's bit-plane approach, because Lei's approach provides an "advantage" in col. 4, lines 18,19.

6. Claims 18 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US Patent 6,539,060 B1) in view of Lee 2, above, further in view of Ostermann (US Patent 5,646,689).

Regarding claim 18, Lee suggests that a forward transform exists to complement Lee's fig. 1 of IDCT that is applied as the claimed domain adaptive transform

Ostermann teaches a DCT which is a forward transform and claim 18 of a calculation of coarser scale representations (via fig. 2, num. 24 that uses coarse quantization as discussed in col. 6, lines 18-22 upon the output of the claimed forward

transform) in a forward transform of a multi-scale transform (since fig. 2, num. 22 is a transform used to change the resolution which is scaling, fig. 2, num. 22 is the claimed multi-scale transform).

It would have been obvious at the time the invention was made to one of ordinary skill in the art to modify Lee's implied forward transform with Ostermann's forward transform that includes quantization, because Ostermann's quantization is used for efficient bandwidth control via fine and coarse quantization during transmission to a decoder as discussed in col. 1, lines 26-29.

Regarding claim 35, Lee implies that an encoder is used with Lee's decoder/dequantization.

Ostermann teaches an encoder as shown in fig. 2 and claim 35 of one or more coarser scales of representation of the signal (via coarse quantization as discussed in col. 6, lines 10-23) which have already been decoded (via an implied decoder) and thus made known to the decoder by the time of the inverse transform step.

It would have been obvious at the time the invention was made to one of ordinary skill in the art to modify Lee's teaching of an encoder and dequantization with Ostermann's encoder for the same reasons as claim 18, above.

7. Claims 19,20,23 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US Patent 6,539,060 B1) in view of Lee 2, above, further in view of Etoh (US Patent 5,859,932).

Regarding claim 19, Lee applies the claimed transform or said IDCT with postfiltering. Etoh applies an IDCT in fig. 2, num. 217 and teaches converting from DCT/IDCT to the claimed sub-band decomposition/composition of a multi-scale transform as indicated in fig. 3, numerals 307 and 321 and claim 19 of where the domain adaptive transform is applied (during conversion from IDCT to composition) during the estimation of next finer scale representations (of the composition that corresponds to "more visually important components" in col. 12, lines 8-12) in an inverse transform (said composition) of a multi-scale transform during the reconstruction phase (or decoding) either in conjunction with or irrespective of the use of the method in claim 18.

It would have been obvious at the time the invention was made to one of ordinary skill in the art to modify Lee's IDCT and post-filtering with Etoh's composition/decomposition, because Etoh's composition does not include blocking artifacts as DCT/IDCT does as discussed in col. 4, lines 25-41 as saves from post-filtering as done in Lee.

Regarding claim 20, Lee does not teach claim 20 and applies the domain adaptive transform or said IDCT.

Etoh applies an IDCT in fig. 2, num. 217 and teaches converting from DCT/IDCT to the claimed sub-band decomposition/composition of a multi-scale transform as indicated in fig. 3, numerals 307 and 321.

It would have been obvious at the time the invention was made to one of ordinary skill in the art to modify Lee's IDCT with Etoh's composition/decomposition, because

Etoh's composition does not include blocking artifacts as DCT/IDCT does as discussed in col. 4, lines 25-41.

Claim 23 is rejected the same as claim 19. Thus, argument similar to that presented above for claim 19 is equally applicable to claim 23.

Regarding claim 24, Etoh teaches the methods of claim 19 where the domain adaptive transform is applied (during said conversion) with the presence of quantization (fig. 1, num. 104).

8. Claim 32 and 37-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lee et al. (US Patent 6,539,060 B1) in view of Lee 2, above, further in view of Avinash (US Patent 6,757,442).

Claim 32 is rejected the same as claim 41. Thus, argument similar to that presented below for claim 41 is equally applicable to claim 32.

Regarding claim 37, Lee does not disclose claim 37 and instead teaches post-filtering as shown in fig. 1, num. 10 that includes averages corresponding to TABLE 1 in columns 11 and 12.

Avinash teaches filtering as shown in fig. 3, num. 55 that includes renormalization in fig. 4, num. 74 and claim 37:

where a function (fig. 4, numerals 62-72) for renormalization (fig. 4, num. 74), i.e. replacement of the missing filter coefficients (not that the claimed "i.e." is interpreted as an "or" limitation so that the claimed "replacement of the missing filter coefficients" are excluded, but are standing), is accomplished by a statistical function (at least one of said fig. 4, numerals 68-72 includes a statistical function) of remaining pixel values

Application/Control Number: 10/032,394

Art Unit: 2624

(separated from a thresholding operation of fig. 7 and of fig. 5, numerals 84 and 86 that separates pixels corresponding to fig. 2, num. 36) which are located at points contained within the arbitrary shaped domain (as shown in fig. 2 as num. 48 or 52).

It would have been obvious at the time the invention was made to one of ordinary skill in the art to modify Lee's post filtering with Avinash's filter, because Avinash's filter has a plurality of benefits such as enhancing structural features, sharpening structural features and removing or smoothing noise as discussed in col. 2, lines 56-67.

The examiner believes that claim 37 can be allowable in the context of applicant's fig. 16G; however, further discussion is required and invites applicant's representative to discuss claim 37 and fig. 16G.

Regarding claim 38, Avinash discloses the method of claim 37 where the statistical function is based on the median (fig. 11:202: "WEIGHTED AVERAGE" corresponds to the claimed median).

Claims 39 and 40 are rejected the same as claim 38. Thus, argument similar to that presented above for claim 38 is equally applicable to claims 39 and 40.

Regarding claim 41, Avinash discloses the method of claim 40 where the statistical function is a weighted average (see claim 38, above) with coefficients (via an equation p(x,y) in col. 18, line 35) that are nonlinear (as said equation has superscripts) functions of the data values themselves.

Regarding claim 42, Avinash discloses the method of claim 37 where some form of outlier rejection (or noise removal) is used (in fig. 4) to ensure that outliers (or noise)

Art Unit: 2624

remaining inside the intersection of the domain and the filter support do not disrupt the local accuracy or efficiency (or blending with minimal noise) of the transform (fig. 4, num. 76).

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Dennis Rosario whose telephone number is (571) 272-7397. The examiner can normally be reached on 9-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew Bella can be reached on (571) 272-7778. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Dennis Rosario/

/Matthew C Bella/

Application/Control Number: 10/032,394 Page 14

Art Unit: 2624

Supervisory Patent Examiner, Art Unit 2624 Examiner, Art Unit 2624